

# PD02 PORTICO Series

All Vinyl Patio Door



Single Slider (OX/XO)

**SKYREACH**  
Skyreach L&S Extrusions Corp.  
Better. In so many ways!

*Perfect*  
PATIO DOORS

# Better. In so many ways.


Meticulous design, plus superior features and options, are trademarks of SKYREACH fabricated doors. From carefully engineered security options to structural soundness—the possibilities are endless with a PERFECT® brand Patio Door.

## UPGRADES


### Prestige Handle Upgrades



### Grilles



### Grille Styles



### Security Locks and Rollers



### Mini Blinds

- Mini Blinds with Tilt and Lift system.
- Available in 5', 6', 7-1/2', 9', 10' and 12' width doors and 6'8" height.



### Multiple Panel System

- 3 and 4 panel.

### Complete Accessories

- Jamb pocket cover, jamb extensions (different sizes), casing, brick mould, nailing flange, and various joiners.


### Architectural Accessories

- Matching Transom and Side-Lites available.

### Custom Sizes

- Variety of aesthetically pleasing multi-panel combinations, custom sizes and custom finishes.

### Painted Woodgrain




# PD02 Portico Single Slider (OX/XO) Patio Door

Portico Single Slider (OX/XO) patio door is a classic patio door with traditional right-hand (OX) and left-hand (XO) configuration. With minor adjustment during installation, this system is reversible as a right-hand and left-hand configuration. It is just perfect for your remodeling and new home project!

## EXTRUDED SOLID COLORS



COLORS SHOWN SHOULD BE USED AS A GENERAL GUIDE.  
PRINTED COLORS ARE NOT AN EXACT MATCH FOR EXTRUDED OR PAINTED VINYL.  
PLEASE TALK TO YOUR DEALER TO LEARN MORE ABOUT AVAILABLE PAINTED COLORS.



SINGLE SLIDER (OX) shown  
(also available in XO)

## FEATURES and BENEFITS

- All vinyl, multi-chamber profile design for superior insulating properties for your comfort and energy savings.
- Mechanically-joined frame with accessory groove in standard 5-1/2" frame depth.
- Mechanically fastened aluminum reinforced door panels for rigidity and strength.
- Standard sizes available: 5', 6' or 8' width by 6'8" and 8' height.
- AAMA certified zinc-plated, double tandem steel rollers for durability and smooth, effortless sliding.
- Corrosion-resistant, anodized-aluminum tracks for ongoing, smooth gliding operation.
- Full perimeter triple layer weather stripping for excellent air and water tightness.
- Standard "Landmark" handle (with lock and key upgrade) and available upgrade to "Prestige" series handles.
- Heavy-duty screen with heavy-gauge extruded aluminum frame and fiberglass mesh for solid frame and smooth operation.
- Specially formulated, color-matched sealing material for durability in performance and color retention.
- Specially-designed fabrication equipment combined with some of the most efficient manufacturing processes ensure that the fit, finish and functionality of a PERFECT® brand sliding Patio Door is of the highest quality.



### PRODUCT PERFORMANCE

PD02-6068-OX	Class R-PG35 Type SD (A2)
PD02-8080-OX	ClassLC-PG35 Type SD (A3)



The company reserves the right to change specifications, alter or improve the design or construction of its products as described herein and to furnish them when so altered without reference to the illustrations or descriptions in this literature.



**SKYREACH**  
Skyreach L&S Extrusions Corp.

**Canadian Headquarters:**  
55 Freshway Dr.  
Vaughan, ON L4K 1S1

Tel: 416-663-1888  
1-866-903-8800  
Fax: 416-663-8899  
1-866-302-8899

**USA Headquarters:**  
9281 Pittsburgh Avenue  
Rancho Cucamonga, CA 91730

Tel: 909-204-3550  
1-844-237-7188  
Fax: 909-204-3580

DEALER

[www.skyreachls.com](http://www.skyreachls.com)